

FINIERER FINISHING BURS

C44E

Geschoss
bullet



Turbine | Friction Grip




FIGURE	SHANK	REF	Ø	
C44E	FG	500 314 499 072	014	023
Winkelstück Right Angle				
C44E	RA	500 204 499 072		023
		US-No.	7404	7408
		L mm	3,3	3,8
			5	5
		APPLICATION		

C48L

Stirn flammenförmig lang
long ogival end



Turbine | Friction Grip




FIGURE	SHANK	REF	Ø	
C48L	FG	500 314 249 072	010	012
C48LF	FG	500 314 249 042		012
C48LU	FG	500 314 249 032		012
Winkelstück Right Angle				
C48L	RA	500 204 249 072		012
		L mm	8,0	8,0
			5	5
		APPLICATION		

C132

Wurzelkanalerweiterer, konisch spitz
root canal enlarger, conical pointed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C132	FG	500 314 699 071	008
C132F	FG	500 314 699 041	008
C132U	FG	500 314 699 031	008
		US-No.	ET3
		L mm	3,1
			5
		APPLICATION	

C133

Wurzelkanalerweiterer, konisch spitz
root canal enlarger, conical pointed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C133	FG	500 314 159 071	010
C133F	FG	500 314 159 041	010
		US-No.	ET4
		L mm	4,2
			5
		APPLICATION	

C134

Wurzelkanalerweiterer, konisch spitz, schlank
root canal enlarger, conical pointed, slender



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C134	FG	500 314 164 071	014
C134F	FG	500 314 164 041	014
C134U	FG	500 314 164 031	014
		US-No.	ET6
		L mm	6,0
			5
		APPLICATION	

C135

Wurzelkanalerweiterer, konisch spitz, schlank
root canal enlarger, conical pointed, slender



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C135	FG	500 314 166 071	014
C135F	FG	500 314 166 041	014
C135U	FG	500 314 166 031	014
		US-No.	ET9
		L mm	9,0
			5
		APPLICATION	



C152

Stirn nicht schneidend, konisch rund
safe end, conical domed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C152	FGL	500 315 210 295	014

Winkelstück | Right Angle

FIGURE	SHANK	REF	Ø
C152	RAL	500 205 210 295	014
		L mm	9,0
			2
	APPLICATION		

C244K

Torpedo, konisch
torpedo, conical



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C244K	FG	500 314 298 072	016

Winkelstück | Right Angle

FIGURE	SHANK	REF	Ø
C244K	RA	500 204 298 072	021
		L mm	8,0
			5
	APPLICATION		

C245

Torpedo, zylindrisch
torpedo, cylindrical



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C245	FG	500 314 290 072	014

L mm



5

APPLICATION



C245K

Torpedo, konisch
torpedo, conical



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C245K	FG	500 314 299 072	018

L mm



5

APPLICATION



C246

Nadelform, kurz
pointed, short



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C246	FG	500 314 496 071	009
C246U	FG	500 314 296 031	009

US-No.

7901

7902

L mm

3,6

3,6



5

5

APPLICATION



C274

Granate
bullet



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
C274U	FG	500 314 274 032	016
Winkelstück Right Angle			
C274	RA	500 204 274 072	016
		US-No.	274
		L mm	3,7
			5
		APPLICATION	

C375R

konisch rund
conical end hemispherical



Turbine | Friction Grip




FIGURE	SHANK	REF	Ø
C375R	FG	500 314 198 072	012 014 018
		US-No.	7653 7664 7686
		L mm	8,0 8,0 8,0
			5 5 5
		APPLICATION	

C379

Ei
egg



Turbine | Friction Grip




FIGURE	SHANK	REF	Ø
C379	FG	500 314 277 072	018 023
C379F	FG	500 314 277 042	018 023
C379U	FG	500 314 277 032	018 023
Winkelstück Right Angle			
C379	RA	500 204 277 072	018 023
		US-No.	7406 7408
		L mm	3,5 4,2
			5 5
		APPLICATION	

C379

Ei
egg



Turbine | Friction Grip




FIGURE	SHANK	REF	Ø
C379	FGXXL	500 317 277 072	014 023
C379U	FGXXL	500 317 277 032	014 023
		US-No.	7404 7408
		L mm	3,1 4,2
			2 2
		APPLICATION	

FINIERER MIT DRALL FINISHING BURS WITH DRALL

CD132

konisch spitz
conical pointed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
CD132	FG	500 314 699 072	008
CD132F	FG	500 314 699 042	008
CD132U	FG	500 314 699 032	008
L mm			3,1
			5
APPLICATION			

CD133

konisch spitz
conical pointed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
CD133	FG	500 314 159 072	010
CD133F	FG	500 314 159 042	010
CD133U	FG	500 314 159 032	010
L mm			4,2
			5
APPLICATION			

CD134

konisch spitz
conical pointed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
CD134	FG	500 314 164 072	014
CD134F	FG	500 314 164 042	014
CD134U	FG	500 314 164 032	014
L mm			6,0
			5
APPLICATION			

CD135

konisch spitz
conical pointed



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
CD135	FG	500 314 166 072	014
CD135F	FG	500 314 166 042	014
CD135U	FG	500 314 166 032	014
L mm			9,0
			5
APPLICATION			

CD379

Ei
egg



Turbine | Friction Grip



FIGURE	SHANK	REF	Ø
CD379	FG	500 314 277 972	018 023
CD379F	FG	500 314 277 942	018 023
CD379U	FG	500 314 277 932	018 023
L mm			3,5 4,2
			5
APPLICATION			



1327- Comp Finish Carbide
auf Seite I on page I à la page I en la página 152